



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Mr. Eric Geisler
2029 South Wabash River Road
Logansport, Indiana 46949

Attn: City Council

Dear Mr. Geisler:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for your review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3476 Eric Geisler	MCL
Benzene		5
cis-1,2-Dichloroethene		
Tetrachloroethene		5
Toluene		1,000
Trichloroethene		5
1,4-Dichlorobenzene		75
1,2,4-Trimethylbenzene		
m-Xylene		10,000

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Ms. Rose Reubebuch
2331 East Wabash River Road
Logansport, Indiana 46949

Dear Ms. Reubebuch:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for you review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3463 Rose Reubebuch outdoor faucet	RO3465 Duplicate of RO3463	MCL
Chloroform			
cis-1,2-Dichloroethene			
Trichloroethene			5

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Ms. Arlene Tyre
2021 East Wabash River Road
Logansport, Indiana 46949

Dear Ms. Tyre:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for your review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3466 Arlene Tyre Kitchen sink	RO3468 Duplicate of RO3466	MCL
Chloroform			
cis-1,2-Dichloroethene			
Trichloroethene			5

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Ms. Judy Benn
2305 East Wabash River Road
Logansport, Indiana 46949

Dear Ms. Benn:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for you review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3467 Judy Benn Kitchen Faucet	MCL
Chloroform	1.4	
cis-1,2-Dichloroethene		
Trichloroethene		5

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Mr. Terry Hatten
2301 East Wabash River Road
Logansport, Indiana 46949

Dear Mr. Hatten:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for you review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3469 Terry Hatten Outside faucet	MCL
Chloroform		
cis-1,2-Dichloroethene		
Trichloroethene		5

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Mr. John Vurgess
2230 Oakland Avenue
Logansport, Indiana 46949

Dear Mr. Vurgess:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for you review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3471 Vurgess Kitchen faucet	MCL
Chloroform		
cis-1,2-Dichloroethene		
Trichloroethene		5

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Ms. Freda Hall
2116 Oakland Avenue
Logansport, Indiana 46949

Dear Ms. Hall:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for you review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3472 Freda Hall Kitchen sink	MCL
Benzene		5
cis-1,2-Dichloroethene		
Tetrachloroethene		5
Toluene		1,000
Trichloroethene		5
1,4-Dichlorobenzene		75
1,2,4-Trimethylbenzene		
m-Xylene		10,000

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Mr. James Harris
2310 Oakland Avenue
Logansport, Indiana 46949

Dear Mr. Harris:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for your review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3473 James Harris Residential well	MCL
Benzene		5
cis-1,2-Dichloroethene		
Tetrachloroethene		5
Toluene		1,000
Trichloroethene		5
1,4-Dichlorobenzene		75
1,2,4-Trimethylbenzene		
m-Xylene		10,000

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Mr. Kevin Grauel
2129 Oakland Avenue
Logansport, Indiana 46949

Dear Mr. Grauel:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for your review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3474 Kevin Granel Kitchen sink	MCL
Benzene		5
cis-1,2-Dichloroethene		
Tetrachloroethene		5
Toluene		1,000
Trichloroethene		5
1,4-Dichlorobenzene	1.1	75
1,2,4-Trimethylbenzene		
m-Xylene		10,000

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Mr. Delmel Correll
2200 Oakland Avenue
Logansport, Indiana 46949

Dear Mr. Correll:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for your review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3475 Delmel Correll Outdoor faucet	MCL
Benzene	0.68	5
cis-1,2-Dichloroethene		
Tetrachloroethene		5
Toluene	1.1	1,000
Trichloroethene	2.2	5
1,4-Dichlorobenzene		75
1,2,4-Trimethylbenzene	0.53	
m-Xylene	0.77	10,000

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Mr. Norm Titus
2301 Oakland Avenue
Logansport, Indiana 46949

Dear Mr. Titus:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for you review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3479 Norm Titus Residential well	MCL
Benzene		5
cis-1,2-Dichloroethene		
Tetrachloroethene		5
Toluene		1,000
Trichloroethene		5
1,4-Dichlorobenzene		75
1,2,4-Trimethylbenzene		
m-Xylene		10,000

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Ms. Wendy Wiggins
2331 Capitol Avenue
Logansport, Indiana 46949

Dear Ms. Wiggins:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for you review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3481 Wendy Wiggins Kitchen faucet	MCL
Methylene chloride		

Blank cells indicate below detection limits.



INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

We make Indiana a cleaner, healthier place to live

Frank O'Bannon
Governor

John M. Hamilton
Commissioner

100 North Senate Avenue
P.O. Box 6015
Indianapolis, Indiana 46206-6015
Telephone 317-232-8603
Environmental Helpline 1-800-451-6027

December 8, 1997

Mr. Jeff Sullivan
2309 Oakland Avenue
Logansport, Indiana 46949

Dear Mr. Sullivan:

Re: Well Sampling analytical results

The Indiana Department of Environmental Management (IDEM) staff has reviewed the analysis of your August 1997 well water sample. Enclosed is a copy of the results for you review.

The levels of volatile organic compounds in your well were either nonexistent or below the maximum containment level (MCL) established for that specific compound. MCLs are a level of contamination allowable in drinking water based on a health protection standard established by the United States Environmental Protection Agency (U.S. EPA). Based on this sample and the analysis conducted there is no evidence that your well water is unfit for normal purposes such as drinking, cooking or bathing.

If you have any questions regarding this matter, please contact Mr. Tim Johnson of the Site Investigation Section of IDEM at (317) 308-3055.

Sincerely,

Timothy R. Johnson
Site Investigation Section
Office of Environmental Response

TRJ/sb

**White City Contamination
Logansport, Cass County
Site #7300008
Sampling on August 19, 1997**

Volatile Organics

Concentration in ppb	RO3483 Jeff Sullivan Residential well	MCL
Methylene chloride	1.5	

Blank cells indicate below detection limits.